Material Safety Data Sheet

According to 91/155 EC

Printing date 05.09.2001

Reviewed on 07.08.1996

1 Identification of substance:

- · Product details:
- Trade name: Special stamp pad ink, red
- Article number: 191
- · Informing department: Product safety department.

2 Composition/Data on components:

- · Chemical characterization
- Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:				
34590-94-8	(2-methoxymethylethoxy)propanol		50-100%	
	1-methoxypropan-2-ol	R 10	10-25%	
71-36-3	butan-1-ol	🗙 Xn; R 10-22-37/38-41-67	2.5-10%	
		🗙 Xi; R 36/38	< 2.5%	
		🗙 Xn; R 22-37-41	< 2.5%	
	C.I. Basic Red 108	🗙 Xn; R 22-37-41	< 2.5%	

3 Hazards identification

· Hazard designation:



Xi Irritant

- · Information pertaining to particular dangers for man and environment R 36 Irritating to eyes.
- Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

4 First aid measures

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- *After skin contact The product is not skin irritating.*
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing In case of persistent symptoms consult doctor.

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. • *Protective equipment:* No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- *Measures for environmental protection:* Do not allow to enter drainage system, surface or ground water. • *Measures for cleaning/collecting:*
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 2)

Material Safety Data Sheet According to 91/155 EC

Printing date 05.09.2001

Reviewed on 07.08.1996

Trade name: Special stamp pad ink, red

(Contd. of page 1)

7 Handling and storage

- · Handling
- · Information for safe handling: No special requirements
- Information about protection against explosions and fires: No special measures required.
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class
- · Class according to regulation on inflammable liquids: A III

8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

• Components with limit values that require monitoring at the workplace:

34590-94-8 (2-methoxymethylethoxy)propanol

OES Long-term value: 308 mg/m³, 50 ppm Sk, ILV

107-98-2 1-methoxypropan-2-ol

OES Short-term value: 1120 mg/m³, 300 ppm Long-term value: 375 mg/m³, 100 ppm Sk

71-36-3 butan-1-ol

Sk

OES Short-term value: 154 mg/m³, 50 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

· Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

· Protection of hands: Protective gloves.

• Eye protection: Tightly sealed safety glasses.

9 Physical and chemical properties:

· Form: · Colour: · Odour:	Fluid According to product specification Characteristic
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	> 55°C
· Ignition temperature:	270.0°C
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Critical values for explosion: Lower: Upper:	1.1 Vol % 14.0 Vol %
	(Contd on page 3

(Contd. on page 3)

GB

Material Safety Data Sheet According to 91/155 EC

Printing date 05.09.2001

Reviewed on 07.08.1996

Trade name: Special stamp pad ink, red

	(Contd. of page 2)
· Vapour pressure at 20°C:	12.0 hPa
· Density	Not determined
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
Solvent content: Organic solvents: Water:	81.1 % 0.0 %
· Solids content:	0.0 %

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eve: Irritant effect.
- Sensitization: No sensitizing effect known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID-GGVS/E Class: 3 Flammable liquids. 31c

· Number/Letter:

Material Safety Data Sheet According to 91/155 EC

Printing date 05.09.2001

Reviewed on 07.08.1996

Trade name: Special stamp pad ink, red

		(Contd. of pag
Kemler Number:	30	
UN-Number:	1263	
Label	3	
Designation of goods:	1263 Paint	
Maritime transport IMDC	?:	
FLAMMABLE LOUD		
IMDG Class:	3.3	
Page:	3372	
UN Number:	1263	
Packaging group:	III	
EMS Number:	3-05	
MFAG:	310,313	
Marine pollutant:	No	
Correct technical name:	Paint	
Air transport ICAO-TI an	d IATA-DGR:	
FLANMABLE LIQUID		
3		
ICAO/IATA Class:	3	
UN/ID Number:	1263	
Packaging group:	III	
Correct technical name:	Paint	

15 Regulatory information

• Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- · Code letter and hazard designation of product: Xi Irritant
- Risk phrases: 36 Irritating to eyes.
- · Safety phrases:
- 2 Keep out of the reach of children.
- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- · National regulations
- · Classification according to VbF: A III

• Technical instructions (air):

Class Share in % III 81.1

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 5)

GB

Material Safety Data Sheet According to 91/155 EC

Printing date 05.09.2001

Reviewed on 07.08.1996

Trade name: Special stamp pad ink, red

(Contd. of page 4)

• **Department issuing data specification sheet:** Environment protection department. • **Contact:**